

New Jersey Division of AIDS Prevention and Control  
Persons Living with HIV/AIDS as of December 31, 2002  
Salem County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	----	---	----	---
AIDS-Any OI	#	#	#	#	28	19
AIDS-CD4 Only	38	27	0	0	38	26
HIV Only	#	#	#	#	79	54
-----	----	---	----	---	----	---
Total	#	#	#	#	145	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	---	---	-----	----	---	----	---	----	---
<5	#	#	White, Not Hispanic	45	32	0	0	45	31
5-12	#	#	Black, Not Hispanic	#	#	#	#	#	#
13-19	#	#	Hispanic	12	9	0	0	12	8
20-29	9	6	Other/Unknown	#	#	0	0	#	#
30-39	52	36	-----	----	---	----	---	----	---
40-49	50	34	Total	141	100	#	#	145	100
50+	29	20							
Unk.	0	0							
-----	---	---							
Total	145	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Men sex with men (MSM)	14	19	0	0	14	10
Injection drug user (IDU)	23	31	17	26	40	29
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	#	#	#	#	51	36
Risk not reported/other***	20	27	12	18	32	23
-----	----	---	----	---	----	---
Total	74	100	66	100	140	100

  

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Parent at risk/has AIDS/HIV	#	100	#	100	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	----	---	----	---	----	---
Total	#	100	#	100	5	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2002.

\*\* 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control  
AIDS Cases Reported as of December 31, 2002  
Salem County Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	46 ( 29)	32 ( 74)	0 ( 0)	0 ( .)	46 ( 29)	32 ( 74)
Other OI w/o PCP	53 ( 33)	42 ( 81)	# (100)	0 ( 0)	55 ( 34)	42 ( 78)
KS Alone	# #	# #	0 ( 0)	0 ( .)	# #	# #
No Disease Listed	# #	# #	0 ( 0)	0 ( .)	57 ( 35)	19 ( 35)
Total	159 (100)	95 ( 63)	# (100)	0 ( 0)	161 (100)	95 ( 62)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %
Under 5	#	#	White, Not Hispanic	69 43	# 50	70 43
5-12	0	0	Black, Not Hispanic	78 49	# 50	79 49
13-19	#	#	Hispanic	9 6	0 0	9 6
20-29	24	15	Other/Unknown	# #	0 0	# #
30-39	64	40				
40-49	40	25	Total	159 100	# 100	161 100
Over 49	30	19				
Unknown	#	#				
Total	161	100				

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	49	42	0	0	49	31
Injection drug user (IDU)	29	25	14	33	43	27
MSM/IDU	#	#	#	#	5	3
Heterosexual contact	13	11	25	58	38	24
Risk not reported/other***	20	17	#	#	24	15
Total	116	100	43	100	159	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	100	0	.	#	100
Risk not reported/other***	0	0	0	.	0	0
Total	#	100	0	.	#	100

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control  
AIDS Cases Reported as of December 31, 2002  
Salem County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	0	0	0%
1986	#	#	#
1987	#	#	#
1988	5	5	100%
1989	5	#	#
1990	10	10	100%
1991	13	11	85%
1992	13	10	77%
1993	13	9	69%
1994	12	10	83%
1995	18	12	67%
1996	8	5	63%
1997	18	#	#
1998	15	#	#
1999	8	#	#
2000	7	#	#
2001	5	0	0%
2002	5	0	0%
-----	-----	-----	-----
Total	161	95	59%

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002  
Salem County Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	23	27	0	0	23	26
5-12	#	#	Black, Not Hispanic	#	#	#	#	53	61
13-19	#	#	Hispanic	8	9	0	0	8	9
20-29	33	38	Other/Unknown	#	#	#	#	#	#
30-39	31	35	-----	-----	---	-----	---	-----	---
40-49	17	19	Total	85	100	#	#	88	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	88	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	6	15	0	0	6	7
Injection drug user (IDU)	18	44	11	25	29	34
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	5	12	20	45	25	29
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	41	100	44	100	85	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having  
been HIV-infected as children. They are counted as adult/adolescent  
reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of  
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated  
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS  
that have subsequently been updated to AIDS. Also not included in these tables are  
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed  
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been  
found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control  
HIV/AIDS Cases Reported as of December 31, 2002  
Salem County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	104	42
AIDS-CD4 Only	57	23	0	0	57	23
HIV Only	#	#	#	#	88	35
-----	-----	---	-----	---	-----	---
Total	244	100	5	100	249	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	5	2	White, Not Hispanic	#	#	#	#	93	37
5-12	#	#	Black, Not Hispanic	#	#	#	#	132	53
13-19	#	#	Hispanic	17	7	0	0	17	7
20-29	61	24	Other/Unknown	7	3	0	0	7	3
30-39	98	39	-----	-----	---	-----	---	-----	---
40-49	50	20	Total	244	100	5	100	249	100
Over 49	32	13							
Unknown	0	0							
-----	-----	---							
Total	249	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	55	35	0	0	55	23
Injection drug user (IDU)	47	30	25	29	72	30
MSM/IDU	7	4	0	0	7	3
Heterosexual contact	18	11	45	52	63	26
Risk not reported/other***	30	19	17	20	47	19
-----	-----	---	-----	---	-----	---
Total	157	100	87	100	244	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	5	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	5	100

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having  
been HIV-infected as children. They are counted as adult/adolescent  
reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of  
coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control  
HIV/AIDS Cases Reported as of December 31, 2002  
Salem County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	0	0	.%
1986	#	#	#
1987	5	5	100%
1988	7	7	100%
1989	9	8	89%
1990	25	17	68%
1991	18	12	67%
1992	29	11	38%
1993	20	8	40%
1994	20	7	35%
1995	23	9	39%
1996	15	5	33%
1997	21	#	#
1998	18	#	#
1999	8	#	#
2000	15	#	#
2001	5	#	#
2002	9	#	#
-----	-----	-----	-----
Total	249	104	42%

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.